

Our stock range of white primed, veneered and wrapped MDF profiles of over 100 lines is the largest in the UK & Europe, with an infinite number of bespoke profiles available to your specification.



WHOWARD
MDF PROFILING

17 branches nationwide

BALLYMENA

Pennybridge Industrial Estate, BT42 3HB
T: +44 (0)28 2564 2261
E: Ballymena@JPCorry.co.uk

Robert Guy, 139 Crankill Road, BT435NW
T: +44 (0)28 9127 1503
E: RobertGuy@JPCorry.co.uk

BANGOR

72 Gransha Road, BT19 7PU
T: +44 (0)28 9127 1503
E: Bangor@JPCorry.co.uk

BELFAST

648 Springfield Road, BT12 7EH
T: +44 (0)28 9024 3661
E: Telesales@JPCorry.co.uk

131B Andersonstown Road, BT11 9BU
T: +44 (0)28 9030 2803
E: Andersonstown@JPCorry.co.uk

Grove Street East, Castlereagh, BT5 5GH
T: +44 (0)28 9045 6100
E: Castlereagh@JPCorry.co.uk

16-20 Hillview Road, Belfast, BT14 7BT
T: +44 (0)28 9075 1756
E: Hillview@JPCorry.co.uk

COLERAINE

H&T Belas, 12-14 Mountsandel Road, BT52 1JD
T: +44 (0)28 7034 2205
E: Coleraine@JPCorry.co.uk

CARRICKFERGUS

Woodburn Road, BT38 8HQ
T: +44 (0)28 9336 6368
E: Carrickfergus@JPCorry.co.uk

CASTLEDAWSON

A.R.D.S. Timber, 15 Moyola Road, BT45 8BH
T: +44 (0)28 7946 8622
E: Castledawson@JPCorry.co.uk

DERRYLIN

Main Street, BT92 9JZ
T: +44 (0)28 6774 8244
E: Derrylin@JPCorry.co.uk

DOWNPATRICK

Ballydugan Industrial Estate, BT30 6NB
T: +44 (0)28 4461 2011
E: Downpatrick@JPCorry.co.uk

DROMORE

Quillyburn Business Park, BT25 1BY
T: +44 (0)28 9269 2342
E: Dromore@JPCorry.co.uk

LISBURN

Hillsborough Old Road, BT27 5EW
T: +44 (0)28 9266 2047
E: Lisburn@JPCorry.co.uk

NEWRY

16 Canal Quay, BT35 6BP
T: +44 (0)28 3026 0911
E: Newry@JPCorry.co.uk

L'DERRY

177 Strand Road, BT48 7PU
T: +44 (0)28 7126 3692
E: Derry@JPCorry.co.uk

PORTADOWN

10 Mahon Industrial Estate, BT62 3EH
T: +44 (0)28 3833 7800
E: Portadown@JPCorry.co.uk

**WE MANUFACTURE
AND DISTRIBUTE
EUROPE'S WIDEST
RANGE OF
MDF PROFILES**



Design and photography by
www.spoken-image.com

NEW
**PREMIUM
CORE RANGE**

W.Howard manufacture and distribute Europe's widest range of MDF profiles - skirtings, architraves, window boards, door linings and bespoke products. Our core range is one of the largest in Europe with over 100 lines. W.Howard customers comprise of builders' merchants and specialist trade manufacturers.

WHOWARD

MDF SPECIALISTS

For 60 years, W.Howard has taken great pride in being a progressive and innovative company.

OUR GROUP

The W.Howard Group comprises W.Howard Limited, Polyco Limited and W.Howard Kildare Limited.

Our expanding range of MDF profiles includes Primed, Veneered, Wrapped and our exclusive KOTA™ product. We offer first rate distribution of our products across Ireland, the UK and Europe.

CORE RANGE & BESPOKE

Our core range of products is one of the largest in Europe and we hold more than 100 stock lines. Although we have a huge core range offering, we understand that sometimes our customers require non standard products. We can manufacture to your exact requirements, be it a bespoke profile, a particular finish, or precise machining for door hardware.

OUR MISSION

To be Ireland, the UK and Europe's Preferred Partner to Merchants, Manufacturers & Distributors within the Construction Industry.

OUR VISION

Our products in every construction.

TRADING POLICY

W.Howard customers comprise of merchants and specialist manufacturers.

ENVIRONMENT

At W.Howard we are committed to environmental causes and ensure that our processes are managed and controlled to set standards.


All our products are manufactured to quality assurance standard ISO9001 and we have achieved environmental standard ISO14001. All our MDF and veneers used in the production of our profiles are certified by the Forest Stewardship Council (FSC).

At the W.Howard Group we understand the need for a quality product that's easy to install and available when you need it.


For further information, please contact our sales team on +353 45 877 671 and we'll be happy to help you.




Jonathan
Jonathan Grant
Group Chief Executive




KOTA™ P03
KOTA™ is a factory finished, tough impact resistant solution that doesn't need painting



WRAPPED P07
Wrapped MDF products offer a fully finished solution, no painting or decorating required




VENEERED P11
Our Veneered MDF range gives the same look and feel as solid timber



CONTEMPORARY PROFILES P15
Our contemporary range features Primed MDF profiles that complement current interior styles



PERIOD PROFILES P16
Our Primed period profiles offer a classic style with all the benefits of MDF




CLASSIC PROFILES P17
Popular and widely used styles with all the benefits of Primed MDF



WINDOW BOARDS P19
All of our Primed sills are moisture resistant MDF and made to last



DOOR CASINGS & LININGS P20
Our Primed MDF door casings and linings are dimensionally stable with no knots, warps or defects



FULLY FINISHED P21
Tell us the specification you require as we are able to manufacture and finish to your exact requirements

KOTA™ MDF PROFILES

KOTA™ is the latest innovation in MDF profiles and is exclusive to W.Howard. KOTA™ is a factory finished, tough impact resistant solution. Unique to KOTA™ is the application of advanced Eastman Cerfis™ Technology to create interior profiles with a unique white smooth coating that doesn't need painting

KOTA™ is factory finished so improves procedural efficiencies significantly, reducing time and cost.

PREMIUM
CORE RANGE

BENEFITS

- Factory Finished profiles
- Simple 3 step installation
- Durable
- Colour consistency
- Saves time, Saves money
- Manufactured by W.Howard using patented Eastman Cerfis™ Technology

Core Range

The KOTA™ range includes architraves and skirting in a variety of profiles and decorative options.

**TOUGHER
THAN PAINTED**

**NO
painting
required**



The mark of
responsible forestry

KOTA™ INSTALLATION IS AS EASY AS 1, 2, 3...

1. FIX

Fix your KOTA™ profile into place using KOTA™ FIX - a high bond adhesive specifically designed for KOTA™ profiles. KOTA™ can also be fixed using loss head nails.



2. FILL

Use colour-matched KOTA™ FILL to fill any gaps between KOTA™ profiles and any uneven wall surfaces. KOTA™ FILL dries white and remains colour-fast.



3. FINISH

Use KOTA™ FINISH, a soft wax filler, to fill any nail or pin holes left following installation. KOTA™ FINISH can also be used to touch up any scuffs or marks.



Profile	Product Code	Pack Qty.	Thick (mm)	Width (mm)	Length (mm)
Chamfer & Rounded White Polymer	CRK1MR18068KT4400	Single	18	68	4400
	CRK1MR18119KT4400	Single	18	119	4400
Radius White Polymer	R106K1MR18068KT4400	Single	18	68	4400
	R106K1MR18119KT4400	Single	18	119	4400
Ogee White Polymer	OGK1MR18068KT4400	Single	18	68	4400
	OGK1MR18119KT4400	Single	18	119	4400
Torus White Polymer	TRK1MR18068KT4400	Single	18	68	4400
	TRK1MR18119KT4400	Single	18	119	4400

KOTA™ ACCESSORIES



KOTA™ FIX is high bond strength adhesive designed to firmly secure your profile in place. Easy to use, it replaces screws and nails with greater performance than traditional panel adhesives.



KOTA™ FILL is a high quality, plasto-elastic one-component gap filler based on acrylic dispersions. It's easy to apply and gives reliable and professional finish.



KOTA™ FINISH is a specifically colour-matched soft wax filler designed for filling any nail or pin holes after fixing. KOTA™ FINISH can also be used to touch up any scuffs or marks.

FOIL WRAPPED SOLUTIONS

- Bespoke products
- Door frame materials
- Skirtings and architraves
- Picture frame mouldings
- Window Boards
- Decorative



Our Wrapped MDF products offer a fully finished solution no painting or decorating required...



BENEFITS

- Pre-Finished, no painting or further finishing are required
- We make a broad range of products available, in popular wood grain or solid colours and high gloss finishes
- Moisture Resistant, Standard Grade and Lightweight MDF substrates are available
- We can work to your design or provide design guidance
- All products are FSC Certified

Core Range

- Popular colours available to match UPVC window and conservatory frames
- Windowboard – foil finish laminated onto a P3 moisture resistant chipboard core
- End Caps and mitre joints available in matching colours
- Skirting and architraves – foil finish laminated onto a moisture resistant MDF Core, the white foil is re-coatable
- Scratch Resistant

All products conform to;

- BS EN 622-1:2003 / BS EN 622-5:2009 Formaldehyde Class E1- EN120
- Formaldehyde is present at less than or equal to 8mg/100g
- FSC Chain of Custody certification, Minimum 70%
- Manufactured using 100% virgin timber
- Free of VOC's

Bespoke Products

- We can offer flexibility on minimum order quantities, shortened lead times and stock management programmes. Please contact our sales office on +353 45 877 671 with your requirements.



The mark of responsible forestry

WRAPPED - CORE RANGE

AVAILABLE IN 4 DIFFERENT COLOURS

All white skirting and architrave products are re-coatable, Window Boards are non-recoatable



ONE PRODUCT, TWO SOLUTIONS

All white skirting and architrave products are re-coatable, Window Boards are non-recoatable

Re-coatable, White Wrapped Skirtings & Architraves

Retaining all the benefits of our fully finished Polyco range but are re-coatable in the future, if required. Wrapped in a white re-coatable foil.

Total Flexibility

Easy installation without the need for decorating, but flexibility to change your skirting colour as you change your décor.

Profile	Product Code	Thick (mm)	Width (mm)	Length (mm)
Ogee White Golden Oak Light Oak	OGV2MR18068WH/GO/LOFW4400	18	68	4400
	OGV2MR18094WH/GO/LOFW4400	18	94	4400
	OGV3MR18119WH/GO/LOFW4400	18	119	4400
	OGV3MR18144WH/GO/LOFW4400	18	144	4400
Rounded One Edge 6mm radius White Golden Oak Light Oak	R106V2MR18068WH/GO/LOFW4400	18	68	4400
	R106V2MR18094WH/GO/LOFW4400	18	94	4400
	R106V3MR18119WH/GO/LOFW4400	18	119	4400
	R106V3MR18144WH/GO/LOFW4400	18	144	4400
Window Board White Golden Oak Light Oak Rosewood	WBV2MRCB22150WH/GO/MG/LO/RWFW5000	22	150	5000
	WBV2MRCB22180WH/GO/MG/LO/RWFW5000	22	180	5000
	WBV2MRCB22200WH/GO/MG/LO/RWFW5000	22	200	5000
	WBV2MRCB22225WH/GO/MG/LO/RWFW5000	22	225	5000
	WBV2MRCB22250WH/GO/MG/LO/RWFW5000	22	250	5000
	WBV2MRCB22300WH/GO/MG/LO/RWFW3050	22	300	3050
	WBV2MRCB22600WH/GO/MG/LO/RWFW3050	22	600	3050
WBV2MRCB22900WH/GO/MG/LO/RWFW3050	22	900	3050	

ACCESSORIES

Profile	Product Code	Description
	ECLOGO	End Cap Plain Light Oak/Golden Oak
	ECMGRW	End Cap Plain Mahogany/Rosewood
	ECPGO	End Cap Printed Golden Oak
	ECPLO	End Cap Printed Light Oak
	ECPMGRW	End Cap Printed Mahogany/Rosewood
	ECWH	End Cap Plain White
	EMJLOGO	External Mitre Joint Plain Light Oak/Golden Oak
	EMJMGRW	External Mitre Joint Plain Mahogany/Rosewood
	EMJPGO	External Mitre Joint Printed Golden Oak
	EMJPLO	External Mitre Joint Printed Light Oak
	EMJPMGRW	External Mitre Joint Printed Mahogany/Rosewood
	EMJWH	External Mitre Joint Plain White
	IMJLOGO	Internal Mitre Joint Plain Light Oak/Golden Oak
	IMJMGRW	Internal Mitre Joint Plain Mahogany/Rosewood
	IMJPGO	Internal Mitre Joint Printed Golden Oak
	IMJPLO	Internal Mitre Joint Printed Light Oak
	IMJPMGRW	Internal Mitre Joint Printed Mahogany/Rosewood
	IMJWH	Internal Mitre Joint Plain White

Please note: The colour swatches used throughout this brochure are for guidance only. Actual colours may vary slightly on product - product and foil samples available on request. 4400mm are nominal sizes finishing at 4370mm. Window Board may vary in size from -2mm to -5mm

A DEFECT FREE ALTERNATIVE TO SOLID TIMBER

Our Veneered Profiles offer the same look and feel as solid timber with all the benefits of MDF

All our Veneered MDF Profiles are certified by the Forest Stewardship Council (FSC)

Our Veneered MDF offers the same look and feel as solid timber yet retains all the benefits of MDF...

PREMIUM
CORE RANGE

BENEFITS

- Creates the same look and feel as solid timber
- Available in over 40 profiles and sizes
- Available ex-stock in Oak
- Does not warp or twist
- FSC Certified
- Bespoke profiles and veneers available to order
- Supplied unfinished ready for a wax, oil, lacquer or wood stain finish
- Skirtings and architraves can be fixed with a gap filling adhesive or traditional hardwood pellets.

All products conform to;

- BS EN 622-1:2003 / BS EN 622-5:2009 Formaldehyde Class E1 - EN120
- Formaldehyde is present at less than or equal to 8mg/100g
- FSC Chain of Custody certification, Minimum 70%
- Manufactured using 100% virgin timber
- Free of VOC's

DELIVERIES



- Core range products are delivered within 5 working days



The mark of responsible forestry

VENEERED - CORE RANGE

AMERICAN
WHITE OAK

Profile	Product Code	Pack Qty.	Thick (mm)	Width (mm)	Length (mm)
Ogee Veneered American White Oak Unfinished 	OGV1MR18094AWOUL4400	Single	18	94	4400
	OGV1MR18168AWOUL4400	Single	18	168	4400
Rounded One Edge Veneered 6mm Radius American White Oak Unfinished 	R106VMR18094AWOUL4400	Single	18	94	4400
	R106VMR18144AWOUL4400	Single	18	144	4400

PRIMED & READY TO GO

All our primed products are manufactured defect free with no knots, warps or defects

Twice primed and ready to install

Our primed profiles are twice primed and ready for a simple under coat and gloss finish after installation...

BENEFITS

- Manufactured Defect Free – no knots, no warps, no defects
- Twice primed and de-nibbed
- Manufactured on a moisture resistant core
- FSC Certified
- Available in over 200 profiles and sizes
- Bespoke products available manufactured to order
- Products can be supplied fully finished; please see pages 21 & 22

All products conform to;

- BS EN 622-1:2003 / BS EN 622-5:2009 Formaldehyde Class E1- EN120
- Formaldehyde is present at less than or equal to 8mg/100g
- FSC Chain of Custody certification, Minimum 70%
- Manufactured using 100% virgin timber
- Free of VOC's

DELIVERIES

- Core range products are delivered within 5 working days



The mark of responsible forestry



CONTEMPORARY PROFILES

Our contemporary range features profiles that complement current interior styles

Clean lines, shape and form are very much the trend in today's interiors. These profiles beautifully echo the contemporary character whether it be in an office, loft apartment or a modern home... where simplicity and subtle sophistication are key.

With the benefits of our stable moisture resistant MDF material there are no knots, warps or defects.

For that current interior design vibe our **CONTEMPORARY RANGE** should be your first option.

■ Available as part of orders meeting minimum order value

Profile	Product Code	Pack Qty.	Thickness (mm)	Width (mm)	Length (mm)
Rounded One Edge V Grooved White Primed	BU1MR18094P5400	80	18	94	5400
	BU2MR18144P5400	56	18	144	5400
Square & Grooved White Primed	SG1MR18094P5400	80	18	94	5400
	SG1MR18144P5400	56	18	144	5400
PSE White Primed	PSEMR12044P5400	264	12	44	5400
	PSEMR12097P5400	120	12	97	5400
	PSEMR18068P5400	112	18	68	5400
	PSEMR18094P5400	80	18	94	5400
7x7mm Chamfer White Primed	SP0507MR18068P5400	112	18	68	5400
	SP0507MR18119P5400	64	18	119	5400

PERIOD PROFILES

Our period profiles offer a classic style with all the benefits of MDF

The design eras of Georgian, Victorian, Edwardian and Art-Deco are undoubted classics, but most of all they offer timeless style.

These profiles are now available in a very contemporary material; MDF offers stability, zero waste and zero defects.

Whether you are looking to renovate a property or looking to reproduce the style of classic designs, these profiles in MDF provide the solution.

■ Available as part of orders meeting minimum order value

Profile	Product Code	Pack Qty.	Thickness (mm)	Width (mm)	Length (mm)
Georgian White Primed	GEO2MR22110P4400	1	22	110	4400
	GEO2MR22194P4400	1	22	194	4400
Victorian White Primed	VIC1MR22110P4400	1	22	110	4400
	VIC1MR22194P4400	1	22	194	4400
Edwardian White Primed	EDW2MR22110P4400	1	22	110	4400
	EDW2MR22194P4400	1	22	194	4400
Art Deco White Primed	ART1MR22110P4400	1	22	110	4400
	ART1MR22194P4400	1	22	194	4400

CLASSIC PROFILES

Popular and widely used styles with all the benefits of MDF

These traditional designs are well known and have stood the test of time. Firm favourites for refits and refurbishments as well as new build.



Profile	Product Code	Pack Qty.	Thick (mm)	Width (mm)	Length (mm)
Ogee 1 White Primed	OG1MR15068P5400	140	15	68	5400
	OG1MR15094P5400	100	15	94	5400
	OG1MR15119P5400	80	15	119	5400
	OG1MR15144P5400	70	15	144	5400
	OG1MR18068P5400	112	18	68	5400
	OG1MR18094P5400	80	18	94	5400
	OG1MR18119P5400	64	18	119	5400
	OG1MR18144P5400	56	18	144	5400
Chamfered & Rounded White Primed	CR1MR15068P5400	140	15	68	5400
	CR1MR15094P5400	100	15	94	5400
	CR1MR15119P5400	80	15	119	5400
	CR1MR15144P5400	70	15	144	5400
	CR1MR18068P5400	112	18	68	5400
	CR1MR18094P5400	80	18	94	5400
	CR1MR18119P5400	64	18	119	5400
	CR1MR18144P5400	56	18	144	5400
Hockey Stick White Primed	SP0346MR18032P5400	140	18	32	5400
Moulded White Primed	SP1948MR18068P5400	112	18	68	5400
	SP1948MR18094P5400	80	18	94	5400
	SP1948MR18119P5400	64	18	119	5400
	SP1948MR18144P5400	56	18	144	5400

















SIGNATURE RANGE

Introducing a range of special primed profiles that we've kept just for you!

From a detailed drawing or sometimes a 'scribble on a beer mat', we can meticulously create a unique profile to your specification. Once the tooling for a profile has been created we keep it ready (and FREE) to use. You just need a minimum order to get that special profile.

We've called this collection of tooling ready profiles our **SIGNATURE RANGE**.



 Large Chamfered SP0147	 Large Radius SP0215	 Hockey Stick SP0346	 Chamfered & 2x Flute SP0435
 Picture Rail SP0504	 Large Decorative SP0557	 R2E Tongued Architrave SP0560	 Castle Profile SP0862
 Large Decorative SP0899	 Reeded SP1051	 R1E & Tongued Architrave SP1128	 Antique SP1717
 Georgian Type SP1730	 Moulded SP1948	 R1E & Groove SP2241	 PTG&V SP2303

WINDOW BOARDS

All our sills are moisture resistant MDF and made to last

- Available in 5 working days
- Available thickness – 25mm & 18mm
- Available width – to core range sizes
- Cross cut & returned end window boards available upon request in 15 working days



Profile	Product Code	Pack Qty.	Thick (mm)	Width (mm)	Length (mm)
Window Board 9 x 9 Tongue White Primed	WBMR18168P5400	48	18	168	5400
	WBMR18194P5400	40	18	194	5400
	WBMR18219P5400	36	18	219	5400
	WBMR25168P3660	60	25	168	3660
	WBMR25194P3660	50	25	194	3660
	WBMR25219P3660	50	25	219	3660
	WBMR25244P3660	40	25	244	3660
	WBMR25269P3660	40	25	269	3660
WBMR25294P3660	30	25	294	3660	
Window Board White Primed	WBMR25325P3660	N/A	25	325	3660
	WBMR25350P3660	N/A	25	350	3660
	WBMR25400P3660	N/A	25	400	3660

DOOR CASINGS & LININGS



Designed to complement our range of architraves and help achieve a beautiful co-ordinated interior


- Available thickness 25mm (5.4m lengths) and 30mm (4.19m lengths) within 10 working days
- 12 x 44mm Door stop available ex-stock. Alternative sizes available to order
- Available Cross Cut and Trenched heads sets within 15 working days
- Packaging options available to order

Profile	Pack Qty.	Thickness (mm)	Width (mm)	Length (mm)	Availability
Door Lining Standard Trenched Head	20 (min)	25	To order	Set	To order
	20 (min)	30	To order	Set	To order
Door Casing Standard Trenched Head	100 (min)	30	To order	Set	To order

ARCHITRAVE & PLINTH BLOCKS

Available in 20 working days.

- Available to order in a range of sizes and designs with a choice of edge mould details.
- Special sizes and designs available to order by enquiry.
- For prices please contact the Sales Office tel: +353 45 877 671



Face Edge Corners

Face edge corners are machined to a 2mm radius for linings and 3mm radius on the shoulder for casings.

Door sizes

Can be manufactured in both imperial and metric door sizes.

Hanging tolerance

Sets are machined to provide a hanging tolerance, over and above door size, of 3mm either side, 3mm to the head and 18mm beneath the door. Hanging tolerance can also be specified to accommodate your individual requirements.

Storey height and fanlight sets

Manufactured to your requirements.

FULLY FINISHED

Tell us the specification you require.
We are able to manufacture and finish to your exact requirements

ANY FINISH

Want a specific colour and a showroom finish?

Our purpose built semi-automatic finishing line and hand spraying facilities mean that any stock or bespoke primed item can be finished to any RAL specified by you, in any profile, any quantity and any size.

Our range of stock and bespoke real wood veneers can be lacquered to your specification in any profile, any quantity and any size.

This means you can have a fully finished product ready to install on site, providing you with a showroom finish, saving you time and money!

OTHER AVAILABLE GRADES OF MDF

Ecologique (Zero formaldehyde)

Ecologique is typically used in environmentally sensitive areas such as museums, laboratories, art galleries, hospitals and schools.

The formaldehyde content is less than 1.0mg/100g, which is equivalent or less than natural timber. Ecologique is available in 12, 15 and 18mm thicknesses and in 2.440m lengths.

Fire Retardant

Euro Class B & C (also known as Class 1 & Class O) is typically used in hotel foyers, offices, public libraries, schools, hospitals and cinemas.

Euro Class B & C is available in thicknesses ranging from 15mm to 25mm and in 2.440 and 3.050 metre lengths. For identification purposes it is pink in colour so it is easily distinguishable from your non-fire retardant primed, moisture resistant MDF profiles.

Standard Grade

Standard grade is predominantly used for stair tread application and is only suitable for internal dry conditions.

Standard grade is available in thicknesses ranging from 15mm-60mm and in 2.440, 3.050, 3.660, 5.100 and 5.490 metre lengths.

Exterior Grade

Exterior MDF can be used in a wide range of external applications.

Exterior MDF has been proved to withstand extreme weather conditions and complies with requirements for use in exterior conditions.